Dane aktualne na dzień: 08-11-2026 22:02

Link do produktu: https://skleprower.pl/rower-mondraker-podium-r-29er-2023-sram-x01-1x12-fox-kashima-p-606.html

ROWER MONDRAKER PODIUM R 29er 2023 SRAM X01 1X12 FOX KASHIMA

Cena	**16 499,00 zł**
Cena poprzednia	~~**29 999,00 zł**~~
Dostępność	**Dostępny**
Czas wysyłki	**3 dni**
Producent	**MONDRAKER**
Kolekcja	**2023**
Rozmiar ramy	**M (42cm), L (47cm), XL (51cm)**

Opis produktu

STEALTH AIR CARBON i GEOMETRIA XC FORWARD dostosowana do roweru produkowanego z najlżejszą ramą na świecie to wystarczające referencje, aby pokazać, że PODIUM R jest spadkobiercą tego, co najlepsze w Mondraker. Ważący mniej niż 9 kilogramów, to idealny rower dla rowerzystów, którzy chcą jak najlepiej wykorzystać każdą przejażdżkę, a także dla tych, którzy chcą rywalizować na najwyższym poziomie, zarówno w lokalnych wyścigach weekendowych, jak i w zawodach punktowanych UCI, lub nawet w Pucharze Świata z najlepszymi kolarzami na świecie!

RAMA	Podium 29 Stealth Air Carbon, XC Forward Geometry, BSA bottom bracket, tapered head tube, HHG internal cable routing, Boost 12x148mm rear axle, dedicated 1X drivetrain design, Flatmount brake compatible,
WIDELEC	Fox 32 Step Cast Float FIT4 EVOL Factory Kashima, 100mm, tapered steerer tube,15x110mm Boost axle, remote lockout, offset 44mm. Settings: lockout, compression micro-adjustment at low-speed, rebound, air preload
STERY	ONOFF Titan tapered for 1-1/8” to 1-1/2” head tube, ACB sealed bearings, top 41.8x30.5x8x45ºx45º, bottom 51.9x40x8x45ºx45º
OBRĘCZE	Mavic Crossmax Carbon SL R 29, 26mm internal width, hookless, tubeless ready, 24 spokes
PIASTY	PRZÓD : Mavic, Boost 15x110mm, IS 6 bolts, TYŁ: Mavic, Boost 12x148mm, ID360 Ratched system, IS 6 bolts, XD freehub
SZPRYCHY	Mavic straightpull duble butted, contactless lacing
OPONY	Maxxis Rekon Race 29x2.35, EXO protection, tubeless ready, 120TPI, folding bead
MOSTEK	MDK, 6061 T6 Alloy, 31.8mm barbore, rise: +/-5º, length: sizes S/M: 60mm, size L: 70mm, size XL: 80mm
KIEROWNICA	Onoff Helium Carbon 0.2, rise: 4.8mm, width: 740mm, 9º backsweep, 0º upsweep, 31.8mm barbore
SZTYCA	Onoff Helium Carbon 0-R VFLEX, diameter 27.2mm, length 400mm
SIODEŁKO	Fizik Antares R7
HAMULCE	KLAMKI: SRAM Level TLM, Direct Link actuation, tooled reach adjust, lever pivot bushings, ZACISKI: SRAM Level TLM, 2 piece caliper, Centerline 160mm IS 6 bolts one-piece rotor, steel-backed organic pad
MANETKI	SRAM Trigger GX Eagle, 12s, X-Actuation 1:1
PRZEDNIA PRZERZUTKA	BRAK
TYLNA PRZERZUTKA	SRAM X01 Eagle, Type 3 roller bearing clutch, cage lock, 1x12s, X-Actuation 1:1
KASETA	SRAM XG-1275, 10-50T, 12s
MECHANIZM KORBOWY	Truvativ Stylo Carbon Eagle, 12s, Boost, DUB axle, Direct Mount chain

	ring, S size: 170mm, M/L/XL size: 175mm, 34T, steel, X-Sync 2
SUPORT	SRAM DUB BSA, sealed bearings, 73mm
PEDAŁY	BRAK
ŁAŃCUCH	SRAM SX Eagle, 12s, Powerlock
CHWYTY	Onoff Desert, 1lock-on, 135mm
WAGA	9,2 kg

Produkt posiada dodatkowe opcje:

Rozmiar ramy: M (42cm) , L (47cm) , XL (51cm)

Geometria


L
B
K
F
M
A
G
C
H
I
E
D
J