

Link do produktu: <https://skleprower.pl/rower-mondraker-raze-carbon-r-2023-sram-1x12-fox-36-p-595.html>



ROWER MONDRAKER RAZE CARBON R 2023 SRAM 1x12 FOX 36

Cena	17 999,00 zł
Cena poprzednia	32 999,00 zł
Dostępność	Dostępny
Czas wysyłki	3 dni
Producent	MONDRAKER
Rozmiar ramy	M (41,5 cm), L (44,5cm), XL (50cm)
Kolekcja	2023

Opis produktu

RAZE CARBON R to idealny rower, jeśli szukasz agresywnego roweru na szlaki, który naprawdę dobrze pedałuje. Jego wyjątkowe właściwości wspinaczkowe oznaczają, że jedynym ograniczeniem podjazdów będą twoje nogi. Jego rosnąca skuteczność jest niekwestionowana, ale najlepsze jest to, że kiedy skierujesz go w dół, jest to niesamowite narzędzie do pracy. Jego amortyzacja, lekkość i sztywność sprawiają, że jest to najlepsza uniwersalna kierownica rowerowa. Nasze ekskluzywne technologie STEALTH AIR FULL CARBON, ZERO SUSPENSION SYSTEM, FORWARD GEOMETRY i MIND są oczywiście również obecne w CARBON R.

RAMA	Raze 29 Stealth Air full Carbon, Zero Suspension System, 130mm travel, Forward Geometry, Carbon Monoblock upper link, Boost 12x148mm rear axle, tapered head tube, 73mm BSA bottom bracket, dedicated 1x drivetrain design, HHG internal cable routing, Enduro MAX sealed bearings, shock mudguard, ISCG 05, custom frame protectors.
DAMPER	Fox 36 29 Float GRIP EVOL Performance, 205x57.5mm. Settings: rebound, 3-position compression adjustment (Open/Mid/Lock), air preload.
WIDELEC	Trunnion top mount, 30x8mm bottom bushings
STERY	Fox 36 29 Float GRIP EVOL Performance, 150mm, tapered steerer tube, Boost 15x110mm axle, 44mm offset. Settings: 3 positions with micro adjust compression, low-speed rebound, air preload
MOSTEK KIEROWNICA	Acros custom for 1-1/2" head tube, angular contact bearings 40x52x7, Internal cable routing
CHWYTY SZTYCA	Onoff Sulfur FG 30mm 0º, 6061 forged alloy, 31.8mm barbare
SIODEŁKO HAMULCE	Onoff Sulfur 1.0 double butted 6061 alloy, rise: 20mm, width: 800mm, 9º backsweep, 5º upsweep, 31.8mm barbare
KOŁA	Onoff Diamond, 1lock-on, 135mm
OPONA	Onoff Pija dropper internal, diameter 31.6mm, S size: 387x125mm, M size: 425x150mm, L/XL size: 465x170mm
	Fizik Antares R7
	KLAMKA: Sram G2, SwingLink, tool-free reach adjust ZACISK: Sram G2 R, 4-piston caliper, Centerline 180mm IS 6 bolts one-piece rotor, steel-backed organic pads
	OBREĆCZ: Mavic CrossMax XL S, 29 Boost 30mm internal width, hookless, tubeless ready, 24 spokes SZPRYCHY: 24 straight-pull double butted spokes PIASTA PRZÓD: Infinity hub, Boost 15x110mm, IS 6 bolts / PIASTA TYŁ: Infinity hub, ID360 freewheel technology, Boost 12x148mm, IS 6 bolts
	PRZÓD: Maxxis Dissector 29x2.4 WT, tubeless ready, 3C MAXX TERRA compound, EXO+ protection, 120TPI, folding bead / TYŁ: Maxxis Aggressor 29x2.3, tubeless ready, dual compound, Exo protection,

MECHANIZM KORBOWY

**SUPPORT
ŁAŃCUCH**

TYLNA PRZERZUTKA


**MANETKA
KASETA
HAK
WAGA**

60TPI, folding bead
Truvativ Stylo 7k Eagle, Boost, DUB axle, Direct mount chain ring, S/M size: 170mm, L/XL size: 175mm, 32T, CNC-machined alloy, X-SYNC 2
Sram DUB BSA, sealed bearings, 73mm
Sram NX Eagle, 12s, Powerlock
Sram GX Eagle, Type 3 roller bearing clutch, cage lock, 1x12s, X-Actuation 1:1
Sram Trigger NX Eagle, 12s, X-Actuation 1:1
Sram XG-1275, 10-52T, 12s
Sram UDH
13.5 kg

Produkt posiada dodatkowe opcje:

Rozmiar ramy: M (41,5cm) , L (44,5cm) , XL (50cm)

Geometria



TRAIL RAZE

Size	S	M	L	XL
A Seat Tube Length	375 mm	415 mm	445 mm	500 mm
B Top Tube Length	595 mm	620 mm	645 mm	670 mm
C Bottom Bracket Drop	-30	-30	-30	-30
D Bottom Bracket Height	343 mm	343 mm	343 mm	343 mm
E Chainstay Legth	435 mm	435 mm	435 mm	435 mm
F Seat Tube Angle, Actual	71°	71°	71°	71°
G Seat Tube Angle, Effective	77°	77°	77°	77°
H Head Tube Angle	66°	66°	66°	66°
I Fork Offset	44 mm	44 mm	44 mm	44 mm
J Wheelbase	1193 mm	1217 mm	1243 mm	1269 mm
K Head Tube Length	90 mm	100 mm	115 mm	130 mm
L Reach	450 mm	470 mm	490 mm	510 mm
M Stack	608 mm	617 mm	631 mm	645 mm